

KALIMNA PLANT LIST

ADIANTACEAE (Ferns)-*Cheilanthes tenuifolia* Rock fernASPLeniACEAE (Ferns)

-*Asplenium flabellifolium* Necklace fern
 -*Pleurocosorus rutifolius* Blanket fern

CUPRESSACEAE (Cypress -pine family)+*Callitris endlicheri* Black Cypress-pinePINACEAE (Pine family)-*Pinus radiata* Monterey pineGRAMINEAE (Grass family)

- <i>Briza maxima</i>	Shell grass	C	All	KS	
- <i>B. minor</i>	Shivery grass	C	All	KS	
<i>Poa australis</i>	Tussock grass	C	All	KS	a
- <i>Aira caryophyllea</i>	Silvery Hair grass	C	All	K	b
<i>Stipa semibarbata</i>	Fibrous Spear grass	C	A	KS	
<i>Themeda australis</i>	Kangaroo grass	C	A	KS	
- <i>Festuca pratensis</i>	Meadow fescue	L	E	AP	c
- <i>Cynodon dactylon</i>	Couch grass	C	EF	P	

CYPERACEAE (Sedge family)

<i>Cyperus tenellus</i>	Delicate leaf rush	C	A	K	
<i>Schoenus apogon</i>	Fluke bog-rush	C	All	KS	
- <i>Cyperus eragrostis</i>	Umbrella sedge	L	EG	P	

CENTROLEPIDACEAE (Centrolepis family)-*Centrolepis strigosa* Hairy centrolepisJUNCACEAE (Rushes)

<i>Luzula campestris</i>	Field wood-rush	C	All	KP	a
<i>Juncus radula</i>	Scraper rush	C	A	K	
<i>J. capitatus</i>	Capitate rush	C	A	K	
<i>J. prismatocarpus</i>	Branching rush	C	A	K	
- <i>J. acutus</i>	Spiny rush	S	A	P	

LILIACEAE (Lily family)

<i>Lomandra filiformis</i>	Wattle mat-rush	C	All	KP	
<i>L. multiflora</i>	Many-flowered mat-rush	S	A	KS	
<i>Caesia vittata</i>	Blue grass-lily	R	E	KS	
<i>Tricoryne elatior</i>	Yellow autumn-lily	R	EJK	KS	*
<i>Dichopogon strictus</i>	Chocolate lily	C	All	KS	d
<i>Arthropodium minus</i>	Small vanilla-lily	R	A	KS	
<i>Thysanotus patersonii</i>	Twining fringe-lily	C	A	KS	
<i>Bulbine bulbosa</i>	Bulbine lily	C	A	KS	
<i>Dianella revoluta</i>	Spreading flax-lily	C	All	KS	
<i>D. laevis</i>	Pale flax-lily	R	AE	KS	
<i>Anguillaria dioica</i>	Early Nancy	C	A	KS	
<i>Burchardia umbellata</i>	Milkmaids	C	A	KS	

AREA OBS

C	ADJ	KM	*
L	A	KS	
R	K	K	
L	J	P	
S	ADK	P	
C	All	KS	
C	All	KS	
C	All	KS	a
C	All	K	b
C	A	KS	
L	E	AP	c
C	EF	P	
C	A	K	
C	All	KS	
C	E	P	
L	EG	P	
C	A	KS	
C	All	KS	a
C	A	K	
C	A	K	
C	A	K	
S	A	P	
C	A	KS	
R	E	KS	
R	EJK	KS	*
C	All	KS	d
R	A	KS	
C	A	KS	
R	AE	KS	
C	A	KS	
C	A	KS	

IRIDACEAE (Iris family)

-*Romulea longifolia* Onion Grass

HYPoxidaceae (Yellow Star family)

Hypoxis glabella Yellow star
H. hookeri Tiny star

ORCHIDACEAE (Orchid family)

<i>Thelymitra aristata</i>	Scented sun-orchid	C	All	KS
<i>T. ixiooides</i>	Dotted sun-orchid	L	A	KS
<i>T. rubra</i>	Salmon sun-orchid	S	A	KS
<i>T. antennifera</i>	Rabbit ears	R	A	KS
<i>Calochilus robertsonii</i>	Brown beards	S	AJ	KS
<i>Diuris maculata</i>	Leopard orchid	C	Ali	KS
<i>D. pedunculata</i>	Golden moths	C	A	KS
<i>D. sulphurea</i>	Tiger orchid	R	D	K
<i>Microtis uniflora</i>	Common onion orchid	C	AKJ	KM
<i>Prasophyllum nigricans</i>	Dark leek-orchid	R	AFD	K
<i>P. odoratum</i>	Sweet leek-orchid	R	A	K
<i>P. despectans</i>	Sharp midge-orchid	R	A	BM
<i>Eriochilus culcatus</i>	Person's bands	R	HC	KS
<i>Hyperanthus nigricans</i>	Red Beaks	R	F	K
<i>Caladenia dilatata</i>	Greencomb spider-orchid	C	All	KS
<i>C. patersonii</i> (var <i>concolor</i>)	Common spider-orchid	R	A	K
<i>Caladenea carneae</i>	Pink fingers	C	All	KS
<i>C. caerulea</i>	Blue caladenia	R	B	KS
<i>C. cucullata</i>	Hooded caladenia	S	D	KS
<i>C. angustata</i>	Musky caladenia	S	A	KS
<i>Glossodia major</i>	Wax-lip orchid	C	All	KS
<i>Pterostylis parviflora</i>	Tiny greenhood	S	A	KM
<i>P. revoluta</i>	Autumn greenhood	R	AC	K
<i>P. nana</i>	Dwarf greenhood	S	A	KS
<i>P. nutans</i>	Nodding greenhood	C	A	KS
<i>P. curta</i>	Blunt greenhood	R	A	KS
<i>P. longifolia</i>	Tall greenhood	S	AC	KS
<i>P. plumosa</i>	Bearded greenhood	R	A	SM

CASUARINACEAE (Sheoak Family)

Casuarina stricta Drooping sheoak

		AREA		OBS
C	F	P	e	
S	A	KS		
R	A	KS	f	
R	A	KS		
C	All	KS		
L	A	KS		
S	A	KS		
R	A	KS		
S	AJ	KS		
C	Ali	KS	*	
C	A	KS		
C	A	KS		
R	D	K		
C	AKJ	KM		
R	AFD	K		
R	A	K		
R	A	BM		
R	HC	KS		
R	F	K		
C	All	KS		
R	A	K		
C	All	KS		
R	B	KS		
S	D	KS		
S	A	KS		
C	All	KS		
S	A	KS		
R	AC	KM		
S	A	KS		
C	A	KS		
R	A	KS		
S	AC	KS		
R	A	SM	f	
R	AFK	KS	*	
R	AFK	KS	*	
R	AFK	KS	*	
R	C	KS		
C	ACEJ	KM	g	
S	AFGHJ	KM	*	
R	AHK	KM		
R	AHK	P		
S	AFGHJ	KM	*	
R	ED	KM	*	
C	ADEFGHJ	KM	*	
R	A	KM	i	
R	D	BM	j	

PROTEACEAE (Protea family)

<i>Persoonia rigida</i>	Stiff geebung	R	C	KS
<i>Grevillea alpina</i>	Mountain grevillea	C	ACEJ	KM
<i>Hakea sericea</i>	Silky hakea	S	AFGHJ	KM
<i>H. laurina</i>	Pincushion hakea	R	AHK	P

SANTALACEAE (Sandalwood family)

Exocarpus cupressiformis Cherry Ballart

LORANTHACEAE (Mistletoe family)

<i>Amyema quandong</i>	Grey mistletoe	R	ED	KM
<i>A. miquellii</i>	Box mistletoe	C	ADEFGHJ	KM
<i>A. pendulum</i>	Drooping mistletoe	R	A	KM
<i>A. preissii</i>	Wiry mistletoe	R	D	BM

POLYGONACEAE (Dock family)

- <i>Acetosa vulgaris</i>	Sorrell	S	GEF	P	K
- <i>Rumex crispus</i>	Curled dock	S	E	P	
- <i>R. brownii</i>	Slender dock	R	E	P	
- <i>Polygonum aviculare</i>	Wireweed	S	EF	P	
- <i>Polygonum prostratum</i>	Creeping knotweed	R	EF	P	

CHENOPodiaceae (Saltbush family)

- <i>Rhagodia nutans</i>	Nodding saltbush	R	AEK	KM	*
- <i>Chenopodium pumilio</i>	Clammy goosefoot	R	E	P	
- <i>Atriplex hastata</i>	Hastate orache	L	E	P	

AMARANTHACEAE (Amaranth family)

- <i>Amaranthus hybridus</i>	Spleen amaranth	R	E	P	
------------------------------	-----------------	---	---	---	--

AIZOACEAE (Pigface family)

- <i>Carpobrotus aequilaterus</i>	Angled pigface	R	A	P	
-----------------------------------	----------------	---	---	---	--

CARYOPHYLLACEAE (Chickweed family)

- <i>Sagina apetala</i>	Common pearlwort	C	A	KP	
- <i>Petrorrhagia velutina</i>	Hairy pink	C	E	KM	
- <i>Stellaria media</i>	Chick weed	R	A	P	
- <i>Spergularia media</i>	Coast sand-spurry	L	E	P	
- <i>S. rubra</i>	Sand spurry	S	F	P	

RANUNCULACEAE (Buttercup family)

- <i>Ranunculus lappaceus</i>	Australian buttercup	L	A	KM	
- <i>R. sessiliflorus</i>	Small-flowered buttercup	R	A	KM	

LAURACEAE (Laurel family)

- <i>Cassytha glabella</i>	Tangled dodder-laurel	R	C	S	
----------------------------	-----------------------	---	---	---	--

FUMARIACEAE (Fumitory family)

- <i>Fumaria bastardii</i>	Fumitory	L	GK	P	
----------------------------	----------	---	----	---	--

CRUCIFERAE (Cabbage family)

- <i>Sisymbrium officinale</i>	Hedge mustard	R	EF	P	
- <i>Diplotaxis tenuifolia</i>	Sand rocket	R	EF	P	
- <i>Lepidium hyssopifolium</i>	Peppercress	S	EF	P	

DROSERACEAE (Sundew family)

- <i>Drosera planchonii</i>	Climbing sundew	C	AGHJ	KS	*
- <i>D. auriculata</i>	Erriennellum	C	A	KM	
- <i>D. peltata</i>	Pale sundew	S	AE	KM	*
- <i>D. glanduligera</i>	Scarlet sundew	R	A	KS	
- <i>D. whittakeri</i>	Scented sundew	C	AFJK	KS	*

CRASSULACEAE (Crassula family)

- <i>Crassula sieberana</i>	Austral stonecrop	C	AFK	KM	*
- <i>C. macrantha</i>	Rufous stonecrop	C	AF	KP	*
- <i>C. colcrata</i>	Dense stonecrop	S	A	K	1

PRENANDELIAEAE

(Pink-bell family)

Tetratheca ciliata

Black-eyed Susan

AUST.

CUL.

C | All | KS

PITTOSPORACEAE (Pittosporum family)

Rhytidosporum procumbens White marianth
Bursaria spinosa Sweet bursaria

C | All | KM
 C | All | KM

ROSACEAE (Rose family)

-*Cotoneaster* sp
 -*Crataegus monogyna*
 -*Rosa rubignosa*
 -*Rubus fruticosus*
Acaena anserinifolia
A. ovina

Cotoneaster
 Hawthorn
 Sweet briar
 Blackberry
 Sheep's burr
 Bidgee-widgee

L | G | P
 S | E | KM
 R | G | P
 S | AEFG | P
 C | AEFGK | KP
 R | G | P

a*

n

MIMOSACEAE (Wattle family)

Acacia genistifolia
A. aspera
A. paradoxa
A. gunnii
A. acinacea
A. pycnantha
A. retinodes
A. lanigera
A. implexa
+*A. baileyana*
A. melanoxylon
-*A. decurrens*
A. mearnsii
A. dealbata

Spreading wattle
 Rough wattle
 Hedge wattle
 Ploughshare wattle
 Gold-dust wattle
 Golden wattle
 Wirilda
 Woolly wattle
 Lightwood
 Cootamundra wattle
 Blackwood
 Early black wattle
 Late black wattle
 Silver wattle

C | All | KM
 C | All | KM
 C | ADEFJ | KS
 R | AFG | KS
 C | All | KS
 C | All | KS
 C | AFGHJK | KM
 R | A | K
 R | A | KM
 S | ADEFGH | KM
 R | F (JK | P
 S | AEJ | KM
 R | J | P
 S | ADEFH | KM

q

*r

s

PAPILIIONACEAE (Pea family)

Gompholobium huegelii
Daviesia virgata
D. ulicifolia
Pultenaea pedunculata
P. largiflorens
P. laxiflora
Dillwynia sericea
D. cinereascens
Bossiaea prostrata
Hovea heterophylla
-*Genista linifolia*
-G. monspesulana
-Ulex europaeus
-Trifolium campestre
-T. arvense
-T. glomeratum
Indigofera australis
-Vicia sativa
-V. hirsuta
-Lathyrus angulatus
-L. odoratus
Kennedia prostrata
Hardenbergia violacea
-Medicago sativa
-Chamaecytisus proliferus

Karelia
 Narrow-leaf bitter pea
 Gorse bitter pea
 Matted bush-pea
 Twiggy bush-pea
 Loose-flowered bush-pea
 Showy parrot-pea
 Grey parrot-pea
 Creeping bossiaeae
 Common hovea
 Flax-leaf broom
 Montpellier broom
 Gorse
 Hop clover
 Hare's foot clover
 Cluster clover
 Austral indigo
 Common vetch
 Tiny vetch
 Angular pea
 Sweet pea
 Running postman
 Purple coral-pea
 Alfalfa
 Tree lucerne

S | ACF | KM
 C | All | KM
 C | All | KM
 R | E | KP
 C | All | KM
 R | C | P
 C | All | KM
 R | AEJ | KP
 R | A | KM
 C | All | KS
 L | FK | P
 L | EF | P
 L | AEFGJ | KS
 S | AEF | KP
 S | AEJ | KP
 S | K | P
 S | AEJ | KM
 S | AFG | KM
 S | AE | KM
 S | AFEK | KP
 L | F | P
 R | E | KS
 C | All | KS
 R | F | P
 R | G | P

t*

u

v

*

*

*

*

*

GERANIACEAE (Geranium family)

<i>Pelargonium rodneyanum</i>	Magenta stork's bill	C	ADGHJ	KM	*
<i>P. australe</i>	Austral stork's bill	S	A	K	
<i>Geranium solanderi</i>	Austral crane's bill	S	A	KP	
<i>G. retrorsum</i>	Crane's bill	R	F	P	

OXALIDACEAE (Oxalis family)

- <i>Oxalis pes-caprae</i>	Soursob	R	FH	P	
<i>O. corniculata</i>	Yellow wood-sorrel	S	AGHFE	KM	*

RUTACEAE (Boronia family)

<i>Eriostemon verrucosus</i>	Fairy wax	C	All	KS	
<i>Correa reflexa</i>	Common correia	R	H	KS	

EUPHORBIACEAE (Euphorbia family)

- <i>Euphorbia peplus</i>	Petty spurge	R	EFH	P	
---------------------------	--------------	---	-----	---	--

STACKHOUSIACEAE (Stackhousia family)

<i>Stackhousia monogyna</i>	Candles	S	ADK	KS	*
-----------------------------	---------	---	-----	----	---

SAPINDACEAE (Hop-bush family)

<i>Dodonaea angustissima</i>	Narrow-leaf hop-bush	L	JK	KP	VW
------------------------------	----------------------	---	----	----	----

RHAMNACEAE (Pomaderris family)

<i>Cryptandera amara</i>	Bitter cryptandera	R	A	KM	
--------------------------	--------------------	---	---	----	--

MALVACEAE (Hibiscus family)

- <i>Modiola caroliniana</i>	Red-flowered mallow	L	E	P	
------------------------------	---------------------	---	---	---	--

DILLENIACEAE (Guinea-flower family)

<i>Hibbertia stricta</i>	Erect guinea flower	R	A	K	
<i>H. exutiaces</i>	Tangled guinea-flower	R	AF	P	X

HYPERICACEAE (Hypericum family)

<i>Hypericum gramineum</i>	Small St John's wort	R	A	K	
----------------------------	----------------------	---	---	---	--

THYMELIACEAE (Daphne family)

<i>Pimelea curviflora</i>	Curved rice-flower	R	A	KM	V
<i>P. humilis</i>	Common rice-flower	C	All	KS	
<i>P. linifolia</i>	Nodding rice-flower	C	All	P	Y

MYRTACEAE (Myrtle family)

<i>Eucalyptus camaldulensis</i>	River red-gum	R	F	P	
<i>E. macrorhyncha</i>	Red stringybark	C	ADFJ	KS	*
<i>E. leucoxylon</i>	Yellow gum	S	AF	KM	*
<i>E. goniocalyx</i>	Long-leaf box	C	All	KM	*
<i>E. melliodora</i>	Yellow box	S	ADEF	KM	*
<i>E. microcarpa</i>	Grey box	C	ADEFJ	KM	*V
<i>E. polyanthemos</i>	Red box	C	All	KM	*
<i>Calytrix tetragona</i>	Fringe myrtle.	R	AEF	KS	*
+ <i>Melaleuca decussata</i>	Totem poles	L	G	P	

LYTHRACEAE (Loose-strife family)

Lythrum hyssopifolia Small loose-strife

R G P

HALORAGACEAE (Raspwort family)

Haloragis tetragyna Common raspwort

C All KM

UMBELLIFERAE (Parsley family)

<i>Hydrocotyle laxiflora</i>	Stinking pennywort	C ADK	KM *
<i>H. callicarpa</i>	Small pennywort	C AG	KP *v
<i>H. foveolata</i>	Yellow pennywort	C A	P
<i>Daucus glochidiatus</i>	Austral carrot	C AGK	KM *
<i>Eryngium rostratum</i>	Blue devil	R F	P

EPACRIDACEAE (Heath family)

<i>Astrolooma humifusum</i>	Cranberry heath	C All	KS
<i>Melichrus urceolatus</i>	Urn heath	S A	KS z
<i>Acrotriche serrulata</i>	Honey pots	S All	KS
<i>Brachyloma daphnoides</i>	Daphne heath	C All	KS

ERICACEAE (Rhododendron family)

-*Erica lusitanica* Spanish heath

R G P

PRIMULACEAE (Primrose family)

-*Anagallis arvensis* Scarlet pimpernel

R E P

GENTIANACEAE (Gentian family)

<i>Sebaea ovata</i>	Yellow sebaea	C A	KP
- <i>Centaureum tenuiflorum</i>	Centaury	C A	K
- <i>C. erythraea</i>	Common centaury	C AG	P
- <i>Cicenda quadrangulensis</i>	Square cicenda	S A	KP
- <i>C. filiformis</i>	Slender cicenda	S A	P

CONVOLVULACEAE (Convolvulus family)

-*Convolvulus arvensis* Common bindweed

R F P

SCROPHULARIACEAE (Veronica family)

- <i>Verbascum virgatum</i>	Twiggy mullein	R F	P
<i>Veronica plebeia</i>	Trailing speedwell	R A	KP
- <i>V. calycina</i>	Hairy speedwell	R A	P
- <i>Parentucellia latifolia</i>	Common bartsia	C AEFG	KP *

LABIATAE (Mint family)

<i>Prostanthera denticulata</i>	Rough mint bush	C AC	KS
- <i>Mentha spicata</i>	Spearmint	R EF	P
- <i>Salvia verbenaca</i>	Wild sage	R EF	P
- <i>Marrubium vulgare</i>	Horehound	R F	P

PLANTAGINACEAE (Plantain family)

<i>Plantago varia</i>	Variable plantain	S AEF	KP
- <i>P. lanceolata</i>	Ribwort	C EFG	P
- <i>P. coronopus</i>	Buck's-horn plantain	L E	P

*v

RUBIACEAE (Coprosma family)

			C	ACG	KP	*
			S	A	P	
			C	AEF	KM	*
<u>RUBIACEAE</u>						
<i>Opercularia varia</i>	Variable stinkweed					
<i>Asperula conferta</i>	Common woodruff					
<i>Gaulium gaudichaudii</i>	Rough bedstraw					
<u>CAMpanulaceae</u> (Bluebell family)						
<i>Wahlenbergia stricta</i>	Tall bluebell	C	All	KS	C	
<i>W. quadrifida</i>	Sprawling bluebell	R	G	P		
<u>GOODENIACEAE</u> (Goodenia family)						
<i>Velleia paradoxa</i>	Spur velleia	R	AJ	KM		*
<i>Goodenia sp.</i>	Primrose goodenia	C	All	KS		
<u>BRUNONIACEAE</u> (Blue pincushion family)						
<i>Brunonia australis</i>	Blue pincushion	C	ABGJ	KS		*
<u>STYLDIACEAE</u> (Trigger plant family)						
<i>Stylium graminifolium</i>	Grass trigger-plant	C	All	KS		*
<i>S. despectum</i>	Small trigger plant	S	A	P		
<i>Levenhookia dubia</i>	Hairy stylewort	S	ACEGK	KM		*t
<u>COMPOSITAE</u> (Daisy family)						
<i>Brachycome perpusilla</i>	Rayless daisy	S	A	KP		
<i>Vittadenia triloba</i>	New Holland daisy	S	AE	K		
<i>V. cuneata</i>	Woolly New Holland d'y	R	E	P		
<i>Stuartina muelleri</i>	Spoon cudweed	S	AE	KM		
<i>Gnaphalium indutum</i>	Tiny cudweed	S	A	P		
<i>G. candidissimum</i>	White cudweed	R	FG	P		
<i>Cassinia arcuata</i>	Chinese tea scrub	C	All	KS		
<i>Helipterum pygmaeum</i>	Pigmy sunray	C	A	K		
<i>H. australe</i>	Common sunray	S	AFGJK	KP		*
<i>Helichrysum apiculatum</i>	Common everlasting	S	AF	KS		*
<i>H. semmipapposum</i>	Clustered everlasting	S	A	KM		
<i>H. viscosum</i>	Golden everlasting	S	AFHJK	KS		*d
<i>H. obcordatum</i>	Grey everlasting	C	All	KS		
<i>Leptorhynchus squamatus</i>	Scaly buttons	C	AFGHJK	KM		
<i>L. tenuifolius</i>	Wiry buttons	C	AEFGJK	KP		
<i>L. elongatus</i>	Tall buttons	R	A	P		
<i>Millotia tenuifolia</i>	Soft millotia	C	A	KP		
<i>Rutidosis multiflora</i>	Small wrinklewort	C	A	KP		
<i>Toxanthes muelleri</i>	Common bow flower	R	A	KM		
<i>Podolepis jaceoides</i>	Showy podolepis	R	AEF	KM		
<i>-Inula graveolens</i>	Stink weed	L	AE	P		
<i>Calocephalus citreus</i>	Lemon beauty heads	R	EF	P		
<i>Craspedia glauca</i>	Common billy buttons	C	AEF	KS		*
<i>Senecio quadridentatus</i>	Cotton fireweed	C	AG	KM		*
<i>-Chrysanthemoides monilifera</i>	Boneseed	S	FKH	P		
<i>-Arctotheca calendula</i>	Cape weed	L	AEF	P		
<i>Cymbonotus preissianus</i>	Austral bear's ear	R	K	P		
<i>Microseris scapigera</i>	Yam daisy	C	All	KS		
<i>-Hypochoeris radicata</i>	Flat weed	C	AEFGH	P		
<i>-H. glabra</i>	Smooth cat's ear	C	AD	P		
<i>-Sonchus oleraceus</i>	Sow thistle	L	EF	P		
<i>-S. asper</i>	Rough sow thistle	R	A	P		
<i>-Lactuca serriolata</i>	Prickly lettuce	R	E	P		
<i>-Cirsium vulgare</i>	Spear thistle	R	F	P		

This list is based on the "Flora of Kalimna Park" prepared by G. Broadway in about 1974. It was based on his own records and those over many years of Mr F. Taylor, Mr F. Robbins and members of Bendigo FNC.

COLUMN 1

- Exotic
- + Not native to this area, but apparently regenerating.

COLUMN 2 Scientific name

COLUMN 3 A common name

COLUMN 4 Distribution

S Scattered

R Rare

C Common

L Localised

COLUMN 5 Observer :

This shows the recorder or identifier, listed first, and one other person who has seen it. Hence, plants added since the original list can be determined.

- K Plants on the original Kalimna list
- M Mrs R. Miller
- S Messrs B & C Singleton
- A Dept of Agriculture, Bendigo
- B Mr G. Broadway
- P Mr E. Perkins.

COLUMN 6 Notes.

KRUECKA

- * Localities increased since Kalimna list.
- a This is a composite name and is no longer valid
- b Exotic
- c syn F. ciliata
- d syn Arthropodium strictum
- e syn R. rosea
- f syn P. barbata
- g The Kalimna list listed two forms. The plants in Kalimna are variable.
- h syn H. bracteatum
- i Listed on original list as common. I have been able to find a single specimen only.
- j Parasitic on A. quandang
- k syn Rumex acetosella
- l Was listed as common
- m syn Marianthus procumbens
- n Acacia williamsonii was listed for H. It is probably planted.
- o syn A. diffusa
- p syn A. axillata
- q Confirmation of this record is needed.

- r Hybrids, x baileyanus occur in K and F
- s Possibly planted
- t Originally listed as rare
- u Daviesia genistifolia, R, A removed from list
- v Originally listed as scattered
- w Possibly planted; original list gave D. cuneata.
- x Original list included H. procumbens, R, A.
- y Original list included P. glauca.
- z Originally listed as Common, all areas.
- a' C tenuifolium=C. pulchellum; C erythraca = C minus. These are confusing species.
- b' Originally listed as Common.
- c' Originally listed as Wahlenbergia sp, common, A.E.

KALIMNA PARK - CASTLEMAINE

